accuc@ld

FF511L7PLUSADA



32.5" x 19.25" x 21.38" (H x W x D)

Commercially listed ADA compliant 20" wide counter height all-refrigerator, auto defrost with an internal fan, thermometer, and lock

Highlights:

ETL-S listed for commercial use

32" height complies with ADA guidelines

Slim 20" width is ideal for any setting

Product Features:

Commercially listed	ETL-S listed to NSF standards for commercial use	
ADA compliant	32" high meets ADA guidelines	
Slim 20" width	Full 4.1 cu.ft. capacity inside conveniently slim footprint	
Fully finished white cabinet	Allows the unit to be used freestanding	
Thermometer	Thermometer provides external readout of current and high/low temperatures	
Factory installed lock	Top-mounted for convenient security	
Internal fan with heat sink	Fan-forced cooling helps the unit stay evenly cooled from top to bottom	
Hospital grade cord with 'green dot' plug	Secure three-pronged cord for added unit safety	
Automatic defrost	Reduced maintenance with auto defrost system	

accuc@ld

FF511L7PLUSADA Specifications:

Overview			
Height of Cabinet	32.0" (81 cm)		
Height to Hinge Cap	32.5" (83 cm)		
Width	19.25" (49 cm)		
Depth	21.38" (54 cm)		
Depth with Handle	23.0" (58 cm)		
Depth with door at 90°	39.5" (100 cm)		
Capacity	4.1 cu.ft. (116 L)		
Defrost Type	Automatic		
Door	White		
Cabinet	White		
US Electrical Safety	ETL		
Canadian Electrical Safety	ETL-C		
Sanitation	ETL-S		
Amps	1.4		
Voltage/Frequency	115 V AC/60 Hz		
Weight	64.0 lbs. (29 kg)		
Shipping Weight	85.0 lbs. (39 kg)		
Parts & Labor Warranty	1 Year		
Compressor Warranty	5 Years		
UPC	761101039916		
Refrigerator Features			
Door Swing	RHD		
Reversible	Factory Reversible		
Shelf Type	Wire		
Shelf Qty	3		
Adjustable Shelves	Yes		
Thermostat Type	Dial		
Fan Type	Interior		
Refrigerant Type	R134a		
Refrigerant Amount	1.75oz.		
High Side PSI	205.0		
Low Side PSI	103.0		
Level Legs Qty	2		
Interior Light	Yes		
Dimensions			
Interior Height	28.5" (72 cm)		
Interior Width	15.75" (40 cm)		

Interior Depth	18.0" (46 cm)
Compressor Step Height	8.0" (20 cm)
Compressor Step Width	17.0" (43 cm)
Compressor Step Depth	6.75" (17 cm)





